

GRUSTACEA, collected in the

The following crustaceans were all collected in the Gulf of Cumberland.

Crangon boreas J. C. Fabricius (Phipps).

A female (No. 145) 110^{mm} in length, "Niantilic Island," September 24, 1877.

Hippolyte Grænlandica Miers (J. C. Fabricius).

Two females: one (No. 1644) 100mm in length, from stomach of Cottus scorpius, September 6, 1878; the other (No. 207) 80mm long, from stomach of sculpin (No. 150), 1877.

Hippolyte Fabricii Kröyer.

A female (No. 537), 52^{mm} long, 7 fathoms, tide-hole, "Annanactook Island," June, 8, 1878; and a male (No. 862), 42mm in length, head of Cumberland Gulf, June 29, 1878.

Gammarus locusta J. C. Fabricius (=G. ornatus Milne-Edwards).

"Penny Harbor, latitude 660" (No. 225), October 4, 1877; "Arctic Island," low water (No. 65), September 13, 1877; "Annanactook Harbor" (No. 576), June 20, 1878.

Amathilla Sabini Bate and Westwood (Leach).

Head of Cumberland Gulf (No. 86); "Annanactook Harbor" (Nos. 584 and 593), 4 fathoms, June 19, 1878; (No. 585), Cumberland Gulf.

Hyperia medusarum Bate (O. F. Müller).

"Annanactook Harbor," No. 586, June 19, 1878.

Caprella septentrionalis Kröyer.

"Annanactook Harbor" (No. 583), "caught through crack in ice, 4 fathoms, on kelp," May 19, 1878; "Grave Island beach" (Nos. 626 and 627), June 27, 1878; (No. 420).

Lepas fascicularis Ellis and Solander.

Cumberland Gulf, at surface.


139

Balanus balanoides Stimpson.

Large well-developed specimens, of the low, broad form. Arct Island, September 13, 1877. This and the preceding were identified b. Mr. E. B. Wilson.

There is also in the collection a specimen of *Hyas araneus* Leach (No. 1420), from "Godthaab, Greenland, September 11, 1878." On its carapax were specimens of *Balanus crenatus*.





Bound By
TOWNSEND BOOK SINDERY
New Market, YA
705-740-3700

smithsonian institution libraries
3 9088 00048 5425